



ESS creates **High Adrenaline Eye Protection™** systems for military, law enforcement, and fire/rescue professionals. Designed to take on the most hostile and unforgiving environments on the planet, ESS products feature cutting-edge technologies and patented innovations to ensure peak performance and uncompromised eye safety.

Military Goggle Systems



ESS **Striker™ Series** military/tactical goggles are created with input from US Special Forces Groups and are specifically designed to withstand the rigors that today's warfighters may encounter.

They deliver:


- Excellent impact protection
- Wide field of vision
- Superior anti-fog performance
- 100% UVA/UVB protection
- Filtration of airborne dust and debris
- Anatomical fit and helmet compatibility
- ANSI Z87.1+, MIL-V-435 IIC & OSHA Compliancy




Strap Adjustment



- 1) **To tighten the strap**, simply pull each of the two slide buckles evenly in the direction toward the frame.




- 2) **To loosen the strap**, slide the two buckles evenly toward the center (rear) of the strap.



Lens Removal




Lenses are easily removed by peeling the goggle frame away from the lens, starting at the top, then working around the sides and across the bottom.




Lens Installation



To avoid smudging, hold the lens by the edges throughout the installation process and avoid contact with the lens surface.




- 1) Place one end of the lens into the corresponding groove in the frame.




- 2) Continue to insert the lens along the bottom of the goggle frame and across the nose, fitting the lens retention holes into the goggle frame posts.

Lens Installation (Cont.)



- 3) Insert the other side of the lens into the goggle frame.



- 4) Finish with the top, making sure that the goggle frame posts are firmly seated in the corresponding lens holes.

Strap Removal / SpeedSleeve™ Installation




To install the **SpeedSleeve™** (see Accessory section) you will need to remove (and subsequently re-attach) one side of the strap from the goggle frame.

To remove the strap: Hold the goggle frame in one hand and the strap in the other. Pull one side of the strap down and out of the frame. Once removed, slide the **SpeedSleeve™** onto the strap.

To re-install the strap: Work from the FRONT of the goggle, and insert one corner of the strap into the center of the slot. Now from the BACK of the goggle, pull the remainder of the strap through the slot.

The **SpeedSleeve™** can now be used to cover the goggle when not being worn, or slid onto the strap during use.



Available Accessories



- **Prescription Inserts:** These R_x lens frames accommodate corrective lenses and easily install inside the goggle frame.
- **SpeedSleeves™:** Eliminate glint off the lens and keep the goggle and lens clean & scratch-free when not being worn.
- **Replacement Lenses:** Replacement lenses for **Striker™ Series** goggles are available in single and 50-pack configurations.

Visit www.essgoggles.com for the latest
ESS products and accessories

Maintenance



LENS CARE

ESS lenses have been specially coated to offer outstanding abrasion resistance and fog-resistance. Special care is required to keep them performing at their best.

- Clean the lens with water only. Do not use cleaners or solvents.
- Use a soft cotton cloth and gently wipe clean. Never use paper products to clean the lenses and avoid wiping the lens surface when dry and dirty as this may scratch the lens.
- If the lens is cracked or severely scratched, replace the lens.

GOGGLE CARE

- To clean the goggle, remove the lens and clean separately. The frame and strap may be gently hand washed in a mild soap solution, rinsed, and air-dried.
- Store the goggle in a cool, dry place away from direct sunlight.
- If the goggle is stored on a helmet, loosen the straps to prevent stretching.

LIMITED WARRANTY:

ESS products are warranted against defects in material and workmanship for one year from the date of purchase. Within the terms of this warranty, ESS will repair or replace, at our discretion, any product proving to be defective after our receipt and inspection.

Please contact ESS Customer Service for warranty information: ess@essgoggles.com



CAUTION:

No protective eyewear can protect the wearer from all potential impacts. Although this product exceeds all of the ANSI Z87.1+ requirements including those for impact resistance, this product WILL NOT protect against all impacts nor will it protect against all chemical splashes. If goggles are worn over standard ophthalmic spectacles when impacts occur, there may be an increased hazard to the wearer. Do NOT use in the sport of Paintball. If used in Airsoft or training exercises involving marking rounds, ONLY wear in conjunction with an ESS-approved face/head protection system. Contact ESS with any questions. Carefully read and follow the instructions.



ESS
Eye Safety Systems, Inc.

Eye Safety Systems, Inc.
P.O. Box 1017
Sun Valley, ID 83353, USA

Toll Free: 877.726.4072
International: +1.208.726.4072
Fax: +1.208.726.4563
E-mail: ess@essgoggles.com
Web: www.essgoggles.com

IESSCRD-ML7